36 (B

JOURNAL

OF THE

RUBBER RESEARCH INSTITUTE

OF MALAYA

INDEX



VOLUME 19, PARTS 1-5, 1965-66

Communications 379 – 412

CONTENTS OF VOLUME 19

PART 1

	Communication	Page
Leaf Analysis as a Guide to the Nutrition of *Hevea brasiliensis* VI. Variations in Leaf Nutrient Composition with Age of Leaf and with time. *V.M. Shorrocks*	379	1
Magnesium Limestone, Kieserite and Ground Serpentine as Magnesium Fertilisers. *V.M. Shorrocks*	380	9
Some Observations on Spore Infection of *Hevea* Stumps by *Fomes lignosus* (Klotzsch) Bres. *K.P. John*	381	17
Effect of Fertilisers on Seed Production by *Hevea brasiliensis*. *G.A. Watson and R. Narayanan*	382	22
Mineral Nutrition, Growth and Nutrient Cycle of *Hevea brasiliensis* I. Growth and Nutrient Content *V.M. Shorrocks*	383	32
Mineral Nutrition, Growth and Nutrient Cycle of *Hevea brasiliensis* II. Nutrient Cycle and Fertiliser Requirements. *V.M. Shorrocks*	384	48
The Effect of Density of Planting on the Growth, Yield and Economic Exploitation of *Hevea brasiliensis* Part I. The Effect on Growth and Yield. *B.R. Buttery and D.R. Westgarth*	385	62
A Comparison of the Pre-emergence Herbicides Atratone, Prometone, Prometryne and Simazine applied in Planting Strips of *Hevea brasiliensis*. *P. Riepma, Kzn*	386	74
Light Intensity and Herbicidal Efficiency. *P. Riepma, Kzn*	387	81

PART 2

Mineral Nutrition, Growth and Nutrient Cycle of *Hevea brasiliensis* III. The Relationship between Girth and Shoot Dry Weight. *V.M. Shorrocks, J.K. Templeton and G.C. Iyer*	388	85
Mineral Nutrition, Growth and Nutrient Cycle of *Hevea brasiliensis* IV. Clonal Variation in Girth with Reference to Shoot Dry Weight and Nutrient Requirements. *V.M. Shorrocks*	389	93
Breeding of *Hevea* for Resistance Against *Dothidella ulei* P. Henn. *H. Bos and K.G. McIndoe*	390	98

	Communication	Page
A Comparison of Rock Phosphate with Superphosphate, and of Ammonium Sulphate with Sodium Nitrate, as Sources of Phosphorus and Nitrogen for Rubber Seedlings II. Association with Abnormal Growth and Effect on Wood Strength. *K.R. Middleton, Chin Tet Tsoy and G.C. Iyer*	391	108
Some Considerations in Deciding the Optimum Number of Recorded Trees in a Plot for Experiments on Immature *Hevea brasiliensis*. *R. Narayanan*	392	120
PART 3		
Significance of PRI in Raw and Vulcanised Natural Rubber. *L. Bateman and B.C. Sekhar*	393	133
Statistical Evaluation of Technical Classification Strain Results Obtained at Six Testing Stations. *G.C. Iyer*	394	141
Comparison of Factory Methods of Sampling and Testing Brown Crepe Rubber for TC Strain. *G.C. Iyer*	395	148
Two Experiments on the Control of White Root Disease of *Hevea* Rubber Caused by *Fomes lignosus*, Klotzsch, Leading to a Revision of Established Methods. *K.P. John*	396	153
Progress of Breeding Investigations with *Hevea brasiliensis* III. Further Data on the Crosses Made in the Years 1937-41. *J.M. Ross and C.W. Brookson*	397	158
A Coir-dust Soil Compost for Rhizobium. *K.P. John*	398	173
Value of Covariance Analysis in Manurial Experiments on Rubber. *R. Narayanan*	399	176
PART 4		
Accuracy and Precision in Routine Leaf Analyses. *K.R. Middleton, Ching Pong Tow and G.C. Iyer*	400	189
Sampling Techniques for Surveys of Rubber Smallholdings I. Estimation on the Number of Trees in Tapping. *Colin Barlow, Lim Sow Ching and P.O. Thomas*	401	196
Effect of Planting Systems on Times of Tapping and Collection. *Colin Barlow, Lim Sow Ching and P.O. Thomas*	402	205

	Communication	Page
Breakdown of Amino Acids by *Hevea* Latex Bacteria. *C.K. John*	403	214
Metabolism of Quebrachitol and other Carbohydrates by *Hevea* Latex Bacteria. *C.K. John*	404	219
Effect of Inoculum Size and Age of Trees on Root Disease Infection of *Hevea brasiliensis*. *K.P. John*	405	226
White Root Disease of *Hevea brasiliensis:* Collar Protectant Dressings. *R.A. Fox*	406	231
PART 5		
Preliminary Physiological Studies on the Promotion of Latex Flow by Plant Growth Regulators. *S.G. Boatman*	407	243
Particle Aggregation Following Dilution of *Hevea* Latex: A Possible Mechanism for the Closure of Latex Vessels after Tapping. *S.W. Pakianathan, S.G. Boatman and D.H. Taysum*	408	259
Studies on Tissue Culture of *Hevea brasiliensis* I. Role of Osmotic Concentration, Carbohydrates and pH Values in Induction of Callus Growth in Plumule Tissues from *Hevea* Seedlings. *S.E. Chua*	409	272
Physiological Changes in *Hevea brasiliensis* Tapping Panels During the Induction of Dryness by Interruption of Phloem Transport I. Changes in Latex. *S.E. Chua*	410	277
Physiological Changes in *Hevea brasiliensis* Tapping Panels During the Induction of Dryness by Interruption of Phloem Transport II. Changes in Bark. *S.E. Chua*	411	282
Biological Coagulation of *Hevea* Latex Using Waste Carbohydrate Substrates. *C.K. John*	412	286

Barlow Colin, Lim Sow Ching and P.O. Thomas 196, 205
Bateman, L. and Sekhar, B.C. 133
Boatman, S.G. 243
Boatman, S.G. *see also* Pakianathan, S.W. 259
Bos, H. and McIndoe, K.G. 98
Brookson, C.W. *see* Ross, J.M.
Buttery, B.R. and Westgarth, D.R. 62

Chin Pong Tow *see* Middleton, K.R.
Chin Tet Tsoy *see* Middleton, K.R.
Chua, S.E. 272, 277, 282

Fox, R.A. 231

Iyer, G.C. 141, 148
Iyer, G.C. *see also* Middleton, K.R.
Iyer, G.C. *see also* Shorrocks, V.M.

John, C.K. 214, 219, 286
John, K.P. 17, 153, 173, 226

Lim Sow Ching *see* Barlow Colin

McIndoe, K.G. *see* Bos, H.
Middleton, K.R., Chin Pong Tow and Iyer, G.C. 189
Middleton, K.R., Chin Tet Tsoy and Iyer, G.C. 108

Narayanan, R. 120, 176
Narayanan, R. *see also* Watson, G.A.

Pakianathan, S.W., Boatman, S.G. and Taysum, D.H. 259

Riepma, Kzn P. 74, 81
Ross, J.M. and Brookson, C.W. 158

Sekhar, B.C. *see* Bateman, L.
Shorrocks, V.M. 1, 9, 32, 48, 93
Shorrocks, V.M., Templeton, J.K. and Iyer, G.C. 85

Taysum, D.H. *see* Pakianathan, S.W.
Templeton, J.K. *see* Shorrocks, V.M.
Thomas, P.O. *see* Barlow Colin

Watson, G.A. and Narayanan, R. 22
Westgarth, D.R. *see* Buttery, B.R.

SUBJECT INDEX, VOLUME 19

Titles of papers are given in italics

A Coir-Dust Soil Compost for Rhizobium 173

A Comparison of the Pre-Emergence Herbicides Atratone, Prometone, and Simazine applied in Planting Strips of Hevea brasiliensis 84

A Comparison of Rock Phosphate with Super-phosphate and of Ammonium Sulphate with Sodium Nitrate, as Sources of Phosphorus and Nitrogen for Rubber Seedlings II. Association with Abnormal Growth and Effect on Wood Strength 108

Achromobacter delicatulus 214, 219, 223
Accuracy and Precision in Routine Leaf Analyses 189
Accuracy in determinations for major and minor elements 189, 190, 193
Aerobacter aerogenes 214, 219, 223
Amino acids (*see also* under specific names) 214
Amitrole *see* Weedkillers
Artificial inoculation of *Hevea* cut roots and stumps in plots 18
Artificial inoculation of *Hevea* stumps in the field 19
Atratone *see* Weedkillers
Axonopus compressus 81

Bacillus megaterium 219

Bark:
effect of induction of dryness by interruption of phloem transport 282
estimation of some constituents in 283

Biological Coagulation of Hevea Latex Using Waste Carbohydrate Substrates 286
Botryodiplodia theobromane 239

Branches:
lateral branching 109, 110, 111, 112, 114
nutrient content 38

Breakdown of Amino Acids by *Hevea* Latex Bacteria 214
Breeding of Hevea for Resistance Against Dothidella ulei P. Henn 98
Brevibacterium ingectiphilum 219
Brown Crepe Rubber 148
methods of sampling and testing 148-152

Calcium carbonate 173
Callus Growth of Plumule Tissues 272
Calopogonium mucunoides 231
Centrosema pubescens 173, 174, 251

Clonal seedlings:
PBIG 93, 94, 95
Tjir 1 1, 2, 240

Clones:

AVROS 33 159
AVROS 50 62
AVROS 157 23, 159, 161, 165
BD 5 100, 159, 161, 165
BR 2 23, 103, 170
F 100
F 4542 100, 102
FB 100
FX 100
FX 16 100
FX 25 100
Gl 1 52, 159, 161, 170
GT 1 32, 35, 93, 96
IAN 500 100
IAN 833 100
IAN 2329 102
IAN 2840 102
IAN 2864 102
IAN 2869 100
IAN 2878 102
IAN 2880 100
IAN 2907 100
IAN 2912 100
IAN 2916 102
IAN 2917 100
IAN 2920 102
IAN 2924 100
IAN 2925 100
IAN 2926 100
IAN 2927 102
IAN 2935 100
IAN 2957 100
LCB 510 100
LCB 1320 32, 93, 96
Pil B84 159, 161, 165, 170
PB 5/51 93, 95
PB 5/63 93, 95, 96
PB 24 159, 161, 165
PB 49 23, 159, 161, 165
PB 86 3, 23, 32, 52, 89, 95, 159, 161, 165
PB 186 159
PR 107 1, 3, 52, 93, 235
RRIM 501 3, 32, 49, 93, 95, 96, 170
RRIM 505 170
RRIM 509 23, 170
RRIM 513 85
RRIM 523 170
RRIM 528 170

RRIM 600 93, 94, 95
RRIM 605 93, 95
RRIM 607 93, 96
RRIM 618 89
RRIM 623 93, 96
RRIM 628 93, 95, 96
Tjir 1 3, 23, 32, 52, 93, 100, 159, 161, 165, 170, 235, 243

Collar protectant dressings 232, 233, 234, 235, 240

Comparison of Factory Methods of Sampling and Testing Brown Crepe Rubber for T C Strain 148

Compost for Rhizobium 173-175
Coptotermes curvignatus 157

Costs:
Biological coagulation lowers cost of production 288
Covariance Analysis in Manurial Experiments 176

Cover plants (*see also* under names of species)
effect of pre-emergence weedkillers 74
leguminous creepers 49, 50, 54, 56, 231
comparison with fertilisers 9

Disodium methylarsonate hexahydrate (DMA) *see* Weedkillers

Dothidella ulei 98
breeding clones resistant to 99, 103
conditions favourable for 98
eradication of 99
introduction and yield tests of material resistant to 100
physiological strains of 105

Effect of Density of Planting on the Growth, Yield and Economic Exploitation of Hevea brasiliensis Part I. The Effect of Growth and Yield 62
Effect of Fertilisers on Seed Production by Hevea brasiliensis 22
Effect of Inoculum size and Age of Trees on Root Disease Infection of Hevea brasiliensis 226
Effect of Planting Systems on Times of Tapping and Collection 205
Epsom salts *see* Fertilisers

Fertilisers (*see also* Plant nutrients *and* Leaf: nutrient content)
ammonium sulphate 9, 23, 25, 49, 54, 59, 108, 110
application to immature rubber 56, 59, 93
application to mature rubber 56, 59, 93
application for nutrient requirement 52
application to replanted rubber 56
Christmas Island rock phosphate 23, 49
effect of ammonium sulphate on germination rates 28

effect of ammonium sulphate on seed production 24
effect of ammonium sulphate and potassium chloride on seed production 26
effect of calcium, sulphur and minor elements on seedlings 113
effect on plant dry weight 11
effect of soluble phosphates on immature plants 119
effect on terminal growth 108, 110, 111, 112
Epsom salts 9, 11
kieserite 9, 11, 13, 49, 55, 59
magnesium limestone 9, 11
magnesium sulphate 46, 110, 118
manurial experiments on rubber 176
NPK 22, 32, 63
potassium chloride 23, 25, 49, 57, 59
potassium sulphate 110
R.R.I.M. Mixture C2 51
R.R.I.M. Mixture M 2, 51
R.R.I.M. Mixture X 51
R.R.I.M. Mixture Y 51
R.R.I.M. Mixture Magnesium C2 2, 46
rock phosphate 30, 55, 56, 60, 108, 110, 114
serpentine 9, 13
sodium molybdate 46
sodium nitrate 108, 110, 114, 117
superphosphate 110, 114, 117
trace element supplement 109, 110, 118

Flavobaacterium aquatilis 219
Fomes annosus Fr. 20, 227
Fomes lignosus (Klotzsch) Bres. 17, 226
Fomes lignosus 153, 154, 157, 226, 231, 235, 236, 238, 240
artificial inoculation 18
growth of 231
results of treated trees after inoculation with 238
spore production 18
treatment of 154-159
Fomes noxius 19, 241
Fomes noxius Corner 20

Ganoderma pseudoferreum 226, 235, 237, 239, 240, 241
Girths:
effect of dry trees 161
relationship with yield 165, 169
Gloeosporium alborubrum 114
Glutamic acid 214
Glycine 214
Green branches:
nutrient content 38

Helianthus annus 83
Herbicides *see* Weedkillers

Hevea benthamiana 100, 102, 106
Hevea brasiliensis (*see also* Planting density of *Hevea brasiliensis*)
analyses of the leaves of 189
breeding and selection of 158
effect of *D. ulei* 98
excessive lateral branching in 118
fertiliser requirements of 45
nutrient uptake of 45
optimum number of trees per plot 120, 131
physiological suppression of terminal growth 108
relationship between girth and shoot dry weight 85
ring-barking of 284
root disease infection of 226
tissue culture of 272
Hevea pauciflora 106

Hevea stumps:
spore infection 17
Histidine 214

Imperata cylindrica 17
Isolated Seed Garden 22
Isolencine 214

Kieserite see Fertilisers
Kurthia Zopfii 219

Latex:
bacteria 214, 219
biological coagulation of 286
changes of flow rate, total solids content and viscosity of 244
effect of dilution on 259, 260
effect of phloem interruption on total solids of 279
non-rubber substances 219
promotion of flow 243
yields and trunk contraction 245

Leaf:
analyses 189
annual fall and nutrient return 49
area index 37, 45
nutrient content 38
nutrient content
effect of fertilisers 29, 49
relation with seed production 29
seasonal variation 3
nutrient variation of light leaves and low leaves 1, 2, 3, 6
sampling for analysis 1, 2, 6, 8
seasonal variation in nutrient composition 1, 3

Leaf Analysis as a Guide to the Nutrition of Hevea brasiliensis VI. Variations in Leaf Nutrient Composition with Age of Leaf and with Time 1
Legumes *see* Cover plants *and under names of species*
Leguminous creepers (*see also under names of species*) 48, 50, 54, 56
Lemna minor 83
Leucine 214
Light Intensity and Herbicidal Efficiency 81

Magnesium limestone *see* Fertilisers
Magnesium Limestone, Kieserite and Ground Serpentine as Magnesium Fertilisers 9
Magnesium silicate *see* Kieserite
Metabolism of Quebrachitol and other Carbohydrates by Hevea Latex Bacteria 219
Micrococcus Intens 214, 219
Micrococcus lutens 219
Mineral Nutrition, Growth and Nutrient Cycle of Hevea brasiliensis I. Growth and Nutrient Content 32
Mineral Nutrition, Growth and Nutrient Cycle of Hevea brasiliensis II. Nutrient Cycle and Fertiliser Requirements 48
Mineral Nutrition, Growth and Nutrient Cycle of Hevea brasiliensis III. The Relationship between Girth and Shoot Dry Weight 85
Mineral Nutrition, Growth and Nutrient Cycle of Hevea brasiliensis IV. Clonal Variation in Girth with Reference to Shoot Dry Weight and Nutrient Requirements 93
Mooney Viscosity 141, 142

Nitrogen fixation 50
Nutrients: (*see also* Plant nutrient *and* Tree nutrients)
  transfer between soil and vegetation 48
  uptake 48
Nutrient content:
  distribution between parts of tree 43
  trunk and branches at replanting 50
Nutrient content of Malayan Soils 51
Nutrient cycle:
  additions to the cycle 50
  annual return in branch fall 49
  annual return in fruit fall 49
  annual return in leaf fall 49
  losses from the cycle 50
Nutrient cycle of *Hevea brasiliensis* 32, 48, 85, 93

Particle Aggregation Following Dilution of Hevea Latex: A Possible Mechanism for the Closure of Latex Vessels after Tapping 259
Paspalum conjugatum 81
Penicillium 239
Peniophora gigantea (Fr.) 20
Pentachloronitrobenzene (PCNB) 232
Phenylalamine 214
Physiological Changes in Hevea brasiliensis Tapping Panels during the Induction of Dryness by Interruption of Phloem Transport

I. Changes in Latex 277
II. Changes in Bark 282

Plant nutrients:
aluminium 189, 192, 193, 194
boron 34, 38, 118, 189, 192, 193, 194
calcium 3, 10, 12, 14, 34, 38, 118, 189, 192, 193, 194
copper 34, 38, 118, 189, 192, 193, 194
iron 34, 38, 189, 192, 193, 194
magnesium 3, 9, 10, 12, 14, 34, 38, 48, 54, 59, 189, 192, 193, 194
manganese 3, 10, 14, 34, 38, 189, 192, 193, 194
molybdenum 34, 38, 189, 192, 193, 194
nitrogen 2, 3, 10, 22, 25, 29, 34, 38, 50, 192, 194
phosphate 22
phosphorus 2, 3, 10, 29, 34, 38, 48, 55, 56, 189, 192, 193, 194
potassium 2, 3, 10, 12, 14, 22, 29, 34, 38, 48, 54, 57, 189, 192, 193, 194
sulphur 34, 38, 48, 55, 189, 193, 194

Planting density of *Hevea brasiliensis:*
distances 62, 120
effect on annual yield of No. 1 RSS per acre 69
effect on annual yield of No. 1 RSS per tree 68
effect on bark thickness and renewal 66
effect on dry rubber content 67
effect on growth 62
effect on proportion of lump and scrap 69
effect on yield 67
factors considered 62
fixing an adequate plot size for manuring and other experiments 120, 121
incidence of wind damage, brown bast and root disease 65
initial stand per acre 62
percentage of tappable trees 64

Planting systems:
effect of times of tapping and collection 205

Plasticity Retention Index (PRI) 133, 139, 140
effect of excessive heating 134, 135
effect of mechanical working and soaking 135, 136
effect of metallic contamination 134
effect of PRI on technological properties of rubber vulcanisates 136, 139
effect of purification 135
effect of sunlight exposure 134, 135
measuring raw rubber oxidisability 133
Poria hypobrunnea Petch 18
Pre-emergence herbicides *see* Weedkillers
Preliminary Physiological Studies on the Promotion of Latex Flow by Plant Growth Regulators 243
PRI levels of Malaysian Natural Rubber 134

Production costs *see* Costs
Prometone *see* Weedkillers
Prometryne *see* Weedkillers
Pseudomonas sp. 219
Pueraria phaseoloides (*see also* Cover plants) 9, 13, 231

Rainfall:
additions to nutrient cycle 50

Replanting:
effect on nutrient cycle 50

Replantings:
disposal of timber in sites 50

Rhizobium:
growth of in compost 173, 174
Rhizoctonia solani 236

Roots:
nutrient content 38

Root disease:
control of 231
effect of inoculum size and age of trees on 220
experimental method 153
treatments 154, 155, 156, 157
white (*Fomes lignosus*) *see Fomes lignosus*

RSS 1 production:
influence of planting density 67

Sampling Techniques for Surveys of Rubber Smallholdings I. Estimation of the Number of Trees in Tapping
Sclerotium rolfsii 236
Scrap rubber 46

Seed:
effect of ammonium sulphate on germination rates 28

Seed production:
effect of ammonium sulphate 24
effect of ammonium sulphate and potassium chloride 26
relation with leaf nutrient content 29

Seedlings:
abnormalities in the growth of 108
chemical composition of leaves of 115
effect of fertilisers 116, 118
hand-pollinated 159, 160-168, 170, 171
lateral branching of 109-114
production of 158

Serpentine *see* Fertilisers
Significance of PRI in Raw and Vulcanised Natural Rubber 133
Simazine *see* Weedkillers

Smallholdings:
estimation of number of trees in tapping in 196

Soils:
basalt-derived 57
Batu Anam series, 51, 57
Chemor series 51, 57
coastal alluvium 22
coir-dust compost for Rhizobium 173
effect of soil fertility on terminal growth 108, 112, 113
granite-derived 57
granite-derived inland 22
Holyrood series 51, 57
Kuantan series 51, 57
Malacca series 3, 33, 35, 51, 57
Munchong series 51, 57
nutrient content of Malayan soils 51
nutrient reserves during life of one replanting 51
pH effect on pre-emergence herbicides 77
Rengam series 3, 10, 23, 33, 51, 57
schist-derived inland 22
Selangor series 23, 51, 57
Serdang series 10, 33, 51, 57
Seremban series 23, 51
Sungei Buloh series 3, 10, 33, 35
Ulu Tiram series 51, 57

Some Considerations in Deciding the Optimum Number of Recorded Trees in a Plot for Experiments on Immature Hevea brasiliensis 120

Some Observations on Spore Infection of Hevea Stumps by Fomes lignosus (Klotzsch) Bres 17

Sphaerostilbe repens Berk *et.* Br. 20

Spores
artificial inoculation 18
viability after storage 18

Statistical Evaluation of Technical Classification Strain Results Obtained at Six Testing Stations 141

Studies on Tissue Culture of Hevea brasiliensis I. Role of Osmotic Concentration, Carbohydrates and pH Values in Induction of Callus Growth in Plumule Tissues from Hevea Seedlings 272

Tapping:
comparison of on conventional and hedge systems 205
effect of number of years on relationship between planting density and relative cumulative yields of No. 1 RSS 72
effect of planting systems on times of 205

effect of repeated reopening of tapping cut 243, 244, 251, 253
estimating the number of trees in 196
hand-pollinated seedlings 170
possible mechanism for the closure of latex vessels after tapping 259

Tapping Panel:

physiological changes in 277
TC Rubber 141
experimental method 142
Technological properties of biologically coagulated rubbers 288, 289

Trees:

deciding the optimum number of recorded trees for experiments 120, 131
dry weight of annual leaf and fruit fall 44
dry weight of standing trees 44
effect of number of recorded trees on tree variations 127
sampling procedure for nutrients 34

Tree nutrients:

annual removal 52
concentrations in rubber 52
removed by latex 52, 54
Tree nutrient requirement and fertiliser application 52

Tree weight:

distribution between roots, trunk, branches, green branches and leaves 34, 35
estimation of dry matter production 44
fresh and dry 36
green branches 36
leaf area index 37
leaves 36
relationship between girth and shoot dry weight 85-91
roots 35
trunk and branch bark 36
Trichoderma viride 227, 239

Trunk:

data on girth and dry weight 85
nutrient content 38
Tryptophan 214
Two experiments on the Control of White Root Disease of Hevea Rubber Caused by Fomes Lignosus, Klotzsch, Leading to a Revision of Established Methods 153

Ustulina zonata (Lev.) Sacc. 19

Value of Covariance Analysis in Manurial Experiments on Rubber 176

Weedkillers:

amitrole T 81
atratone 74

comparison of pre-emergence herbicides 76
disodium methylarsonate hexahydrate (DMA) 81
effect of light intensity 81
effect on *Paspalum conjugatum* 76
effect on *Paspalum conjugatum* and *Axonopus compressus* 82
effect of rainfall on pre-emergence herbicides 77
effect of soil type on pre-emergence herbicides 77
prometone 74
prometryne 74
relation between time and dosage 82
simazine 74
volume of application 81
volume of application of pre-emergence herbicides 75
2,4-D 83
2,4,5-T 99
Weeds (*see also under names of species*):
effect of pre-emergence herbicides 77
White Root Disease of Hevea Brasiliensis: Collar Protectant Dressings 231

Yield:
calculation of 158, 159
effect of planting density 67
of FX and IAN clones at Clavellinas, Guatemala 101
of small scale plantings at Harbel, Liberia, of FX and IAN clones 102
relationship with girth 165, 169
Yield and Girth records 159

Yield stimulation:
changes in latex properties after treatment with 266
effects on PB 186 buddings 263
effects on Tjir 1 buddings 261
2,4-D 243, 257
2,4,5-T 243, 244, 245, 247, 248, 250, 251

Printed by
ART PRINTING WORKS
KUALA LUMPUR